 <p>B.S. Aquino Drive, Bacolod City, Negros Occidental, 6100</p> <p>DR. PABLO O. TORRE MEMORIAL HOSPITAL</p>	Document Code:	DPOTMH-E-57-P01-S21
	Effective Date:	06-30-2022
	Document Type:	Standard Operating Procedure
	Page Number:	1 of 3
	Department/Section:	Hematology
	Document Title:	<b>D-DIMER</b>

### **PURPOSE:**

To establish guidelines in collecting sample for D-dimer for Laboratory diagnostic procedure and analysis. It helps investigate the cause of a blood clot (thrombotic episode) and to evaluate a prolonged partial thromboplastin time (PTT).

### **SCOPE:**


This procedure is applicable to Medical Technologists (Medical Laboratory Scientists), Pathologists, Medical Doctors, Nurses, Medical Trainees, Laboratory Clerks

### **PERSON RESPONSIBLE:**

Medical Technologists (Medical Laboratory Scientists), Pathologists, Medical Doctors, Nurses, Medical Trainees, Laboratory Clerks

### **PROCEDURE:**

1. Hand washing shall be performed before and after the procedure.
2. The wearing of Personal Protective Equipment such as gloves, masks, goggles/face shield and gowns shall be observed in doing the procedure.
3. The Medical Technologist collects blood in a 3.2% sodium citrate blue top tube (1.8mL tube) properly labeled with complete patient's name and date of collection.
4. The Medical Technologist collects blood sample, filled to specified volume, no under filling or overfilling and is inverted tip to tip 3-4 times gently for adequate mixing and to avoid hemolysis and destruction of chemical elements. Test shall be performed within two hours after blood collection.
5. The Medical Technologist forwards properly the blood sample and patient's request with note of previous medications to the hematology section. Medical Technologist then checks blood sample label, volume and clots prior to analysis. Not properly labeled sample is given back to the extractor for correct labeling. Insufficient volume and hemolyzed/clotted sample is subject for repeat blood collection and the medical technologist, nurse in-charge or the patient will be informed immediately.
6. Blood sample shall be centrifuged at a 4000 rpm for 20 minutes to ensure that the plasma is platelet poor.

 <p>DR. PABLO O. TORRE MEMORIAL HOSPITAL</p>	Document Code:	DPOTMH-E-57-P01-S21
	Effective Date:	06-30-2022
	Document Type:	Standard Operating Procedure
	Page Number:	2 of 3
	Department/Section:	Hematology
	Document Title:	<b>D-DIMER</b>


B.S. Aquino Drive,  
Bacolod City,  
Negros Occidental,  
6100

7. In the HCLAB LIS, the Medical Technologist enters user ID and password to display the main menu. Click Specimen Check-in icon and enter Patient Identification (PID) number (located at the bottom or back part of the request) or click Find Patient Order icon and enter patient's complete name to search for the PID.  
*Enter PID – Date – List – Check – Accept – Print Label or Barcode*
8. The Medical Technologist logs into a list the patient name. An ID number is assigned and written on the patient's request.
9. The Medical Technologist attaches the barcode sticker properly to its corresponding tube.
10. The Medical Technologist properly loads the blood samples on the rack & presses Start.
11. Results of all parameters are displayed and copied in the machine's monitor.
12. The Medical Technologist prints out results for outpatients at the reception area upon presentation of the Official Receipt (OR) and results for admitted patients are can be viewed and printed out by nurses to its respective stations.
13. The Medical Technologist checks the abnormal results or with flaggings displayed by viewing the smear, delta checking or rerun the blood sample or correlate result to patient's anticoagulant therapy.
14. Editing is done if needed before validation. Results are auto transferred in the HCLAB LIS then released in the BIZBOX HIS.

#### **REFERENCE:**


<https://www.siemens-healthineers.com/en-ph/point-of-care-testing/featured-topics-in-poct/cardiac-featured-topics/d-dimer-testing>



 <p><b>DR. PABLO O. TORRE MEMORIAL HOSPITAL</b></p> <p>B.S. Aquino Drive, Bacolod City, Negros Occidental, 6100</p>	Document Code:	DPOTMH-E-57-P01-S21
	Effective Date:	06-30-2022
	Document Type:	Standard Operating Procedure
	Page Number:	3 of 3
	Department/Section:	Hematology
	Document Title:	<b>D-DIMER</b>


**APPROVAL:**

	Name/Title	Signature	Date
Prepared by:	<b>REDABELLE DIONE-SEGOVIA, RMT</b> Section Head, Hematology	<i>[Signature]</i>	07-06-2022
Verified:	<b>TIFFANY B. VILLANUEVA-COO, RMT</b> Laboratory Manager	<i>[Signature]</i>	7-6-2022
	<b>MONICA B. VILLANUEVA, RMT, PhD</b> Laboratory Manager	<i>[Signature]</i>	7-6-2022
	<b>MELANIE ROSE B. ZERRUDO, MD, FPSP</b> Chair, Department of Pathology	<i>[Signature]</i>	7-6-2022
Reviewed:	<b>DENNIS C. ESCALONA, MN, FPSQua</b> Quality Assurance Supervisor	<i>[Signature]</i>	07-06-2022
Recommending Approval:	<b>ROSARIO D. ABARING, MAN, PhD</b> Ancillary Division Officer	<i>[Signature]</i>	07.06.2022
	<b>FREDERIC IVAN L. TING, MD</b> OIC - Total Quality Division	<i>[Signature]</i>	7/8/22
Approved:	<b>GENESIS GOLDI D. GOLINGAN</b> President and CEO	<i>[Signature]</i>	9/11/22

 <p><b>DR. PABLO O. TORRE MEMORIAL HOSPITAL</b></p>	Document Code:	DPOTMH-E-57-P01-WI21
	Effective Date:	06-30-2022
	Document Type:	Work Instruction
	Page Number:	1 of 2
	Department/Section:	Hematology
	Document Title:	<b>D-DIMER</b>

KEY TASKS	PERSON RESPONSIBLE
1. Encodes the request of the patient to BIZBOX system.	Laboratory Clerks and Nurses
2. Extracts blood sample from the patients.	Medical Technologist/Nurse
3. Ensures sample is acceptable for testing.	
4. Disposes properly and safely biohazardous and infectious wastes and materials.	
5. Forwards properly the patient's request with the results and his name initials to the Hematology Section for encoding in the system.	
6. Processes and analyzes samples.	
7. Releases and validates result thru BIZBOX System.	
8. Records result to Hematology logbooks.	Laboratory Clerks and Nurses
9. Endorses the patient's results to the patient or doctor.	



 <p><b>DR. PABLO O. TORRE MEMORIAL HOSPITAL</b></p>	B.S. Aquino Drive, Bacolod City, Negros Occidental, 6100	Document Code:	DPOTMH-E-57-P01-WI21
		Effective Date:	06-30-2022
		Document Type:	Work Instruction
		Page Number:	2 of 2
		Department/Section:	Hematology
		Document Title:	<b>D-DIMER</b>

**APPROVAL:**

	Name/Title	Signature	Date
Prepared by:	<b>REDABELLE DIONE-SEGOVIA, RMT</b> Section Head, Hematology	<i>[Signature]</i>	07-06-2022
Verified:	<b>TIFFANY B. VILLANUEVA-COO, RMT</b> Laboratory Manager	<i>[Signature]</i>	7-6-2022
	<b>MONICA B. VILLANUEVA, RMT, PhD</b> Laboratory Manager	<i>[Signature]</i>	7-6-2022
	<b>MELANIE ROSE B. ZERRUDO, MD, FPSP</b> Chair, Department of Pathology	<i>[Signature]</i>	7-6-2022
Reviewed:	<b>DENNIS C. ESCALONA, MN, FPSQua</b> Quality Assurance Supervisor	<i>[Signature]</i>	07-06-2022
Recommending Approval:	<b>ROSARIO D. ABARING, MAN, PhD</b> Ancillary Division Officer	<i>[Signature]</i>	07.06.2022
	<b>FREDERIC IVAN L. TING, MD</b> OIC - Total Quality Division	<i>[Signature]</i>	7/8/22
Approved:	<b>GENESIS GOLDI D. GOLINGAN</b> President and CEO	<i>[Signature]</i>	9/11/22




DR. PABLO O. TORRE  
MEMORIAL HOSPITAL


B.S. Aquino Drive,  
Bacolod City,  
Negros Occidental,  
6100

Document Code:	DPOTMH-E-57-P01-FC21
Effective Date:	06-30-2022
Document Type:	Flowchart
Page Number:	1 of 2
Department/Section:	Hematology
Document Title:	<b>D-DIMER</b>

## FLOWCHART





 <p><b>DR. PABLO O. TORRE MEMORIAL HOSPITAL</b></p> <p>B.S. Aquino Drive, Bacolod City, Negros Occidental, 6100</p>	Document Code:	DPOTMH-E-57-P01-FC21
	Effective Date:	06-30-2022
	Document Type:	Flowchart
	Page Number:	2 of 2
	Department/Section:	Hematology
	Document Title:	<b>D-DIMER</b>

**APPROVAL:**

	Name/Title	Signature	Date
Prepared by:	<b>REDABELLE DIONEIO-SEGOVIA, RMT</b> Section Head, Hematology	<i>[Signature]</i>	07-06-2022
Verified:	<b>TIFFANY B. VILLANUEVA-COO, RMT</b> Laboratory Manager	<i>[Signature]</i>	7-6-2022
	<b>MONICA B. VILLANUEVA, RMT, PhD</b> Laboratory Manager	<i>[Signature]</i>	7-6-2022
	<b>MELANIE ROSE B. ZERRUDO, MD, FPSP</b> Chief, Department of Pathology	<i>[Signature]</i>	7-6-2022
Reviewed:	<b>DENNIS C. ESCALONA, MN, FPCHA, FPSQua</b> Quality Assurance Supervisor	<i>[Signature]</i>	07-06-2022
Recommending Approval:	<b>ROSARIO D. ABARING, MAN, PhD</b> Ancillary Division Officer	<i>[Signature]</i>	07-06-2022
	<b>FREDERIC IVAN L. TING, MD</b> OIC-Total Quality Division	<i>[Signature]</i>	7/6/22
Approved:	<b>GENESIS GOLDI D. GOLINGAN</b> President and CEO	<i>[Signature]</i>	7/4/22