 <p>B.S. Aquino Drive, Bacolod City, Negros Occidental, 6100</p> <p>DR. PABLO O. TORRE MEMORIAL HOSPITAL</p>	Document Code:	DPOTMH-E-52-P01-S05
	Effective Date:	07-31-2022
	Document Type:	Standard Operating Procedure
	Page Number:	1 of 3
	Department/Section:	Blood Bank Section
	Document Title:	QUARANTINE SYSTEM FOR BLOOD PRODUCTS REACTIVE TO ANY MARKERS OF TTI

PURPOSE:

To provide guidelines on the quarantine system for blood products to ensure that screened and unscreened units are stored in separate blood storage equipment to prevent the issue of unscreened units and reactive or positive units.

SCOPE:


Applies to all Blood Bank Section Staff of Laboratory Department of Dr. Pablo O. Torre Memorial Hospital (DPOTMH)

PERSON RESPONSIBLE:

Medical Technologists

GENERAL GUIDELINES:


- 1 For the purpose of this SOP, the Quarantine term refers to the physical (storage in separate portions of the laboratory) and/or electronic (blood establishment computer system) separation of a blood product from the rest of the available inventory until it has been fully evaluated.
- 2 Quarantine system shall be in place for the physical segregation of all unscreened donations and their blood components until screening for infection markers has been completed and the suitability of donations for therapeutic use has been determined.
- 3 A system shall be in place to ensure that screened and unscreened units are stored in separate blood storage equipment to prevent the issue of unscreened units.
- 4 All reactive or positive donations and all components derived from these donations shall be labeled "NOT FOR TRANSFUSION" and segregated for discard or non-clinical use.

 <p>B.S. Aquino Drive, Bacolod City, Negros Occidental, 6100</p> <p>DR. PABLO O. TORRE MEMORIAL HOSPITAL</p>	Document Code:	DPOTMH-E-52-P01-S05
	Effective Date:	07-31-2022
	Document Type:	Standard Operating Procedure
	Page Number:	2 of 3
	Department/Section:	Blood Bank Section
	Document Title:	QUARANTINE SYSTEM FOR BLOOD PRODUCTS REACTIVE TO ANY MARKERS OF TTI








- 5 Blood transfusion services shall ensure that separate storage equipment is clearly designated for unscreened units, reactive or positive units, unresolved or indeterminate units and units suitable for clinical use or available blood stock.


PROCEDURE:

1. Medical Technologist segregates screened and unscreened units and stores in separate blood storage equipment.
2. After testing, medical technologist labels all reactive or positive donations and components derived from these donations as "Not for transfusion"
3. Medical technologist segregates blood units for discard or non-clinical use.


 <p>B.S. Aquino Drive, Bacolod City, Negros Occidental, 6100</p> <p>DR. PABLO O. TORRE MEMORIAL HOSPITAL</p>	Document Code:	DPOTMH-E-52-P01-S05
	Effective Date:	07-31-2022
	Document Type:	Standard Operating Procedure
	Page Number:	3 of 3
	Department/Section:	Blood Bank Section
	Document Title:	QUARANTINE SYSTEM FOR BLOOD PRODUCTS REACTIVE TO ANY MARKERS OF TTI

APPROVAL:








	Name/Title	Signature	Date
Prepared by:	MELISSA THERESE B. LABAYEN, RMT Blood Bank Section Head		07-07-2022
Verified by:	MONICA B. VILLANUEVA, RN, RMT, PhD Laboratory Manager		7-7-2022
	MELANIE ROSE B. ZERRUDO, MD, FPSP Chair, Department of Pathology		7-7-2022
Reviewed by:	DENNIS C. ESCALONA, MN, FPSQua Quality Assurance Supervisor		07-07-2022
Recommending Approval by:	ROSARIO D. ABARING, MAN, PhD Ancillary Division Officer		07-07-2022
	FREDERIC IVAN L. TING, MD OIC - Total Quality Division		7/5/22
Approved by:	GENESIS GOLDI D. GOLINGAN President and CEO		7/7/22

 <p>B.S. Aquino Drive, Bacolod City, Negros Occidental, 6100</p> <p>DR. PABLO O. TORRE MEMORIAL HOSPITAL</p>	Document Code:	DPOTMH-E-52-P01-WI05
	Effective Date:	07-31-2022
	Document Type:	Work Instruction
	Page Number:	1 of 2
	Department/Section:	Blood Bank Section
	Document Title:	QUARANTINE SYSTEM FOR BLOOD PRODUCTS REACTIVE TO ANY MARKERS OF TTI

KEY TASK	PERSON RESPONSIBLE
1. Segregates screened and unscreened units and stores in separate blood storage equipment.	Medical Technologist
2. Labels all reactive or positive donations and components after testing derived from these donations as "Not for transfusion"	
3. Segregates blood units for discard or non-clinical use.	

 <p>B.S. Aquino Drive, Bacolod City, Negros Occidental, 6100</p> <p>DR. PABLO O. TORRE MEMORIAL HOSPITAL</p>	Document Code:	DPOTMH-E-52-P01-WI05
	Effective Date:	07-31-2022
	Document Type:	Work Instruction
	Page Number:	2 of 2
	Department/Section:	Blood Bank Section
	Document Title:	QUARANTINE SYSTEM FOR BLOOD PRODUCTS REACTIVE TO ANY MARKERS OF TTI

APPROVAL:

	Name/Title	Signature	Date
Prepared by:	MELISSA THERESE B. LABAYEN, RMT Blood Bank Section Head		07.07.2022
Verified by:	MONICA B. VILLANUEVA, RN, RMT, PhD Laboratory Manager		7-7-2022
	MELANIE ROSE B. ZERRUDO, MD, FPSP Chair, Department of Pathology		7-7-2022
Reviewed by:	DENNIS C. ESCALONA, MN, FPSQua Quality Assurance Supervisor		7-07-2022
Recommending Approval by:	ROSARIO D. ABARING, MAN, PhD Ancillary Division Officer		07.07.2022
	FREDERIC IVAN L. TING, MD OIC - Total Quality Division		7.7.22
Approved by:	GENESIS GOLDI D. GOLINGAN President and CEO		9/7/22





DR. PABLO O. TORRE
MEMORIAL HOSPITAL

B.S. Aquino Drive,
Bacolod City,
Negros Occidental,
6100








Document Code:	DPOTMH-E-52-P01-FC05
Effective Date:	07-31-2022
Document Type:	Flowchart
Page Number:	1 of 2
Department/Section:	Blood Bank Section
Document Title:	QUARANTINE SYSTEM FOR BLOOD PRODUCTS REACTIVE TO ANY MARKERS OF TTI

FLOWCHART



 <p>DR. PABLO O. TORRE MEMORIAL HOSPITAL</p>	<p>B.S. Aquino Drive, Bacolod City, Negros Occidental, 6100</p>	Document Code:	DPOTMH-E-52-P01-FC05
		Effective Date:	07-31-2022
		Document Type:	Flowchart
		Page Number:	2 of 2
		Department/Section:	Blood Bank Section
		Document Title:	QUARANTINE SYSTEM FOR BLOOD PRODUCTS REACTIVE TO ANY MARKERS OF TTI

APPROVAL:

	Name/Title	Signature	Date
Prepared by:	MELISSA THERESE B. LABAYEN, RMT Blood Bank Section Head		07-07-2022
Verified:	MONICA B. VILLANUEVA, RN, RMT, PhD Laboratory Manager		7-7-2022
	MELANIE ROSE B. ZERRUDO, MD, FPSP Chair, Department of Pathology		7-7-2022
Reviewed:	DENNIS C. ESCALONA, MN, FPCHA, FPSQua Quality Assurance Supervisor		7-07-2022
Recommending Approval:	ROSARIO D. ABARING, MAN, PhD Ancillary Division Officer		07-07-2022
	FREDERIC IVAN L. TING, MD OIC-Total Quality Division		7-7-22
Approved:	GENESIS GOLDI D. GOLINGAN President and CEO		9/7/22