

Document Code:	DPOTMH-I-38-P05-S05	
Effective Date:	09-30-2021	
Document Type:	Standard Operating Procedure	
Page Number:	1 of 5	
Department/Section:	Surgical Complex	
Document Title:	INSTRUMENT COUNT	

PURPOSE:

- 1. To protect the patient by ensuring that no instrument is inadvertently retained in any body cavity during surgical intervention.
- 2. Provide a standardized guidelines on proper counting of all instruments used or unused in an operating procedure
- 3. Prevent incidence of missed counts

SCOPE:

RNs, Scrub Technicians, and Attendants

PERSON RESPONSIBLE:

Surgeon, Circulating Nurse, Scrub Technician

PROCEDURE GUIDELINES:

- 1 Instruments shall be counted.
- 2 Instruments shall be counted on all procedures that enter the abdominal or thoracic cavity.
 - 2.1 Pre-operatively, as initial or baseline count
 - 2.2 As additional items are added to the sterile field
 - 2.3 Before closure of any cavity within a cavity (example: uterus or bladder)
 - 2.4 Before closure of any deep or large incision
 - 2.5 At the completion of the surgical procedure
 - 2.6 During permanent relief of scrub person and/or circulating nurse
 - 2.7 When the surgery or circumstance indicates the need of a count
- 3 Instrument count may be omitted on the following types of cases UNLESS the procedure involves entering the abdominal or thoracic cavity:
 - 3.1 Plastic Surgeries
 - 3.2 Burns
 - 3.3 Ophthalmology



Document Title:	INSTRUMENT COUNT	
Department/Section:	Surgical Complex	
Page Number:	2 of 5	
Document Type:	Standard Operating Procedure	
Effective Date:	09-30-2021	
Document Code:	DPOTMH-I-38-P05-S05	

3.4 Laparoscopic NOT CONVERTED to open

- 4 All instruments used in an operating procedure shall be packed and sterilized in the Sterilization and Reprocessing Section.
- 5 Circulating nurse and scrub person shall simultaneously and audibly count instruments one by one
- 6 Circulating nurse shall document and write his/her initials on each entry on the instrument count sheet immediately after counting
- 7 Counted instruments that have been dropped or otherwise removed from the sterile field should be shown to the scrub person, isolated from the sterile field and retained in the operating suite until the final count is performed. Alternatively, the instrument/s may be decontaminated and sterilized for return to the sterile field.
- 8 Instruments with multiple parts are accounted for in their entirety, as well as those broken during the procedure.
- 9 All linen and waste containers should not be removed from the Surgical Suite until all counts are completed and resolved, and patient leaves the room.



Document Title:	INSTRUMENT COUNT	
Department/Section:	Surgical Complex	
Page Number:	3 of 5	
Document Type:	Standard Operating Procedure	
Effective Date:	09-30-2021	
Document Code:	DPOTMH-I-38-P05-S05	

APPROVAL:

	Name/Title	Signature	Date
Prepared by:	VANESSA V. VERDE, RN Surgical Suites Head Nurse	1	09.22.21
Verified:	MARIA AGNES A. SARIEGO, RN, MN, FPCHA Surgical Complex Manager	Amf	9-28-2021
Reviewed by:	DENNIS C. ESCALONA, MN, FPCHA, FPSQua Quality Assurance Supervisor	2	10-04-2021
	MARIA LIZA C. PERAREN, RN, MN Nursing Service Division Officer	frym	10-04-20
Recommending Approval:	HENRY F. ALAVAREN, MD, FPSMID, FPSQua Total Quality Division Officer	mun!	10/4/202
	MA. ANTONIA S. GENSOLI, MD, FPPS, FPCHA Vice President – Chief Medical Officer	nargenul	10-6-70
Approved:	GENESIS GOLDI D. GOLINGAN President and CEO		10/23/20

33
Dr. Pablo O. Torre Memorial Hospital

Document Title:	INSTRUMENT COUNT	
Department/Section:	Surgical Complex	
Page Number:	4 of 5	
Document Type:	Standard Operating Procedure	
Effective Date:	09-30-2021	
Document Code:	DPOTMH-I-38-P05-S05	

PROCEDURE:

- 1 On pre-incision phase, scrub technician and circulating nurse should count the instruments one by one according to type (e.g. various types of forceps or scissors may be counted together).
- 2 Circulating nurse must record the initial count of instruments in order listed on the count sheet. Extra instruments may be written on this sheet.
- 3 During the procedure, the circulating nurse must immediately count, record, and indicate his/her initials for all added instruments.
- 4 On the closing phase, the scrub technician should gather all instruments used and unused, and count audibly together with the circulating nurse.
- 5 Circulating nurse should report count status to the surgical team.
- 6 In the event of incorrect and incomplete count:
 - 6.1 Scrub technician and circulating nurse must conduct a recount immediately
 - 6.2 Conduct a thorough search of the sterile field, mayo stand, back table and the surrounding area.
 - 6.3 Notify the surgeon of the missing instrument(s).
 - 6.4 Notify the charge nurse and/or head nurse.
 - 6.5 Request an order for x-ray from the surgeon and notify the Department of Imaging Sciences. Radiologist must read x-rays taken.

Note: X-ray may be taken in Surgical Suite, PACU or Critical Care Unit as surgeon specifies.

- 7 For unresolved incorrect count, Circulating Nurse and Scrub Technician files an incident report and signs the incorrect count on Sponge and Instrument Count Sheet.
- 8 Circulating Nurse provides a copy of accomplished Sponge and Instrument Count Sheet to the Central Sterilization Unit.



	*
Document Code:	DPOTMH-I-38-P05-S05
Effective Date:	09-30-2021
Document Type:	Standard Operating Procedure
Page Number:	5 of 5
Department/Section:	Surgical Complex
Document Title:	INSTRUMENT COUNT

REFERENCES:

- 1. Infection Control Today (2005). *AORNs Recommended Practices for Sponge, Sharp, and Instrument Counts is Up for Review.* From https://www.infectioncontroltoday.com/view/aorns-recommended-practices-sponge-sharp-and-instrument-counts-review
- Association of Surgical Technologists (2006). Recommended Standard of Practice for Counts. From https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/About_Us/Standard_">https://www.ast.org/uploadedFiles/Main_Site/Content/Abou
- 3. Patient Safety World (2016). AORN Updates Guideline to Prevent Retained Surgical Items. From https://www.patientsafetysolutions.com/docs/February 2016 AORN Updates Guideline to Prevent Retained Surgical Items.htm



Document Title:	INSTRUMENT COUNT	
Department/Section:	Surgical Complex	
Page Number:	1 of 2	
Document Type:	Work Instruction	
Effective Date:	09-30-2021	
Document Code:	DPOTMH-I-38-P05-S05-WI05	

	KEY TASKS	PERSON RESPONSIBLE
	Counts the instruments one by one according to type (e.g. various types of forceps or scissors may be counted together) on pre-incision phase. Gathers all instruments used and unused, and count audibly together with the circulating nurse on the closing phase.	Scrub Technician
1.	Records the initial count of instruments in order listed on the count sheet. Extra instruments may be written on this sheet.	
2.	During the procedure, immediately counts, records, and indicates his/her initials for all added instruments.	
	Reports count status to the surgical team. For unresolved incorrect count, files an incident report and sign the incorrect count on Sponge and Instrument Count Sheet.	Circulating nurse
5.	Provides a copy of accomplished Sponge and Instrument Count Sheet to the Central Sterilization Unit.	




Document Code:	DPOTMH-I-38-P05-S05-WI05	
Effective Date:	09-30-2021	
Document Type:	Work Instruction	
Page Number:	2 of 2	
Department/Section:	Surgical Complex	
Document Title:	INSTRUMENT COUNT	

APPROVAL:

	Name/Title	Signature	Date
Prepared by:	VANESSA V. VERDE, RN Surgical Suites Head Nurse	15	09.22:21
Verified:	MARIA AGNES A. SARIEGO, RN, MN, FPCHA Surgical Complex Manager	Amy	9-28-2021
Reviewed by:	DENNIS C. ESCALONA, MN, FPCHA, FPSQua Quality Assurance Supervisor	9	10-04-2021
	MARIA LIZA C. PERAREN, RN, MN Nursing Service Division Officer	film	10-04-2
Recommending Approval:	HENRY F. ALAVAREN, MD, FPSMID, FPSQua Total Quality Division Officer	Raun	10/4/21
	MA. ANTONIA S. GENSOLI, MD, FPPS, FPCHA Vice President – Chief Medical Officer	warginsel	- 10-6.20
Approved:	GENESIS GOLDI D. GOLINGAN President and CEO		10/23/20




Document Title:	INSTRUMENT COUNT	
Department/Section:	Surgical Complex	
Page Number:	1 of 3	
Document Type:	Flowchart	
Effective Date:	09-30-2021	
Document Code:	DPOTMH-I-38-P05-S05-FC05	





B.S. Aquino Drive, Bacolod City, Negros Occidental, 6100

Document Title:	INSTRUMENT COUNT	
Department/Section:	Surgical Complex	
Page Number:	2 of 3	
Document Type:	Flowchart	
Effective Date:	09-30-2021	
Document Code:	DPOTMH-I-38-P05-S05-FC05	





Document Title: INSTRUMENT COUNT		
Department/Section:	epartment/Section: Surgical Complex	
Page Number:	3 of 3	
Document Type:	Flowchart	
Effective Date:	09-30-2021	
Document Code:	DPOTMH-I-38-P05-S05-FC05	

APPROVAL:

	Name/Title	Signature	Date
Prepared by:	VANESSA V. VERDE, RN Surgical Suites Head Nurse	35	09.22.21
Verified:	MARIA AGNES A. SARIEGO, RN, MN, FPCHA Surgical Complex Manager	amy:	9-28-2021
Reviewed by:	DENNIS C. ESCALONA, MN, FPCHA, FPSQua Quality Assurance Supervisor	\$	10-04-2021
Recommending Approval:	MARIA LIZA C. PERAREN, RN, MN Nursing Service Division Officer	Jepan	10-14-21
	HENRY F. ALAVAREN, MD, FPSMID, FPSQua Total Quality Division Officer	Amus	10/4/200
	MA. ANTONIA S. GENSOLI, MD, FPPS, FPCHA Vice President – Chief Medical Officer	nargensl	10.6.25
Approved:	GENESIS GOLDI D. GOLINGAN President and CEO		10/23/202