

PURPOSE

To reduce the risk of transmission of the virus that causes COVID-19 or other infectious disease from the mother to the newborn.

OBJECTIVE

To standardize protocols in Management of Newborns in Mothers with Emerging and Reemerging Infectious Disease.

GENERAL CONSIDERATION

1. Mother/Baby Contact

- It is unknown whether newborns with COVID-19 are at increased risk for severe complications. Transmission after birth via contact with infectious respiratory secretions is a concern.
- Facilities should consider temporarily separating (e.g., separate rooms) the mother who has confirmed COVID-19 or is a Probable from her baby until the mother's transmission-based precautions are discontinued, as described in the Interim Considerations for Disposition of Hospitalized Patients with COVID-19.

2. Considerations below for temporary separation:

- The risks and benefits of temporary separation of the mother from her baby should be discussed with the mother by the healthcare team.
- A separate isolation room should be available for the infant while they remain as Probable COVID 19 patient. Healthcare facilities should strictly follow a no visitors allowed policy. For healthcare personnel, recommendations for appropriate PPE are outlined in the Infection Prevention and Control Recommendations.
- The decision to discontinue temporary separation of the mother from her baby should be made on a case-by-case basis in consultation with clinicians,

DPOTMH-NSD-NICU-SOP001 Unauthorized duplication of this policy in whatever forms is strictly prohibited.

Rev. No. <u>00</u>

Date Effective: 04-10-2020



Document Code:	DPOTMH-NSD-NICU-SOP001
Revision Number:	0
Effective Date:	04-10-2020
Document Type:	STANDARD OPERATING PROCEDURE
Page Number:	2
Department/Section:	NEONATAL INTENSIVE CARE & PEDIATRICS
Document Title:	GUIDELINES IN MANAGEMENT OF NEWBORNS IN MOTHERS WITH SUSPECTED, PROBABLE, AND CONFIRMED CORONAVIRUS (COVID-19) INFECTION.


and infectious disease specialists. The decision should take into account disease severity, illness signs and symptoms, and results of laboratory testing for the virus that causes COVID-19, SARS-CoV-2. Considerations to discontinue temporary separation are the same as those to discontinue transmission-based precautions for hospitalized patients with COVID-19. Please see Interim Considerations for Disposition of Hospitalized Patients with COVID-19.

- Once newborn is in stable condition, bathe with soap and water.
- 3. If separation is not undertaken, other measures to reduce the risk of transmission from mother to infant could include the following, again, utilizing shared decision-making:
 - Using engineering controls like physical barriers (e.g., a curtain between the mother and newborn) and keeping the newborn ≥6 feet away from the mother.
 - Mothers who choose to feed at the breast should put on a face mask and practice hand hygiene before each feeding.
 - If the mother is not breastfeeding and no other healthy adult is present in the room to care for the newborn, a mother with known or suspected COVID-19 should put on a face mask and practice hand hygiene before each feeding or other close contact with her newborn.
 - The facemask should remain in place during contact with the newborn.
 These practices should continue while the mother is on Transmission-Based
 Precautions in a healthcare facility.

DPOTMH-NSD-NICU-SOP001

Rev. No. 00

Date Effective: 04-10-2020





•	Document Code:	DPOTMH-NSD-NICU-SOP001
	Revision Number:	0
	Effective Date:	04-10-2020
	Document Type:	STANDARD OPERATING PROCEDURE
	Page Number:	3
	Department/Section:	NEONATAL INTENSIVE CARE & PEDIATRICS
	Document Title:	GUIDELINES IN MANAGEMENT OF NEWBORNS IN MOTHERS WITH SUSPECTED, PROBABLE, AND CONFIRMED CORONAVIRUS (COVID-19) INFECTION.

4. Colocation/Rooming-in

- If colocation (sometimes referred to as "rooming in") of the newborn with his/her ill mother in the same hospital room occurs in accordance with the mother's wishes or is unavoidable due to facility limitations, facilities should consider implementing measures to reduce exposure of the newborn to the virus that causes COVID-19.
- Consider using engineering controls like physical barriers (e.g. a curtain between the mother and newborn) and keeping the newborn ≥6 feet away from the ill mother.
- If no other healthy adult is present in the room to care for the newborn, a
 mother who has confirmed COVID-19 or is a Probable COVID 19 should
 put on a face mask and practice hand hygiene before each feeding or other
 close contact with her newborn. The face mask should remain in place
 during contact with the newborn. These practices should continue while the
 mother is on transmission-based precautions in a healthcare facility.


5. Breastfeeding

- If temporary separation is undertaken, mothers who intend to breastfeed should be encouraged to express their breast milk to establish and maintain milk supply. If possible, a dedicated breast pump should be provided by the mother. Prior to expressing breast milk, mothers should practice hand hygiene. After each pumping session, all parts that come into contact with breast milk should be thoroughly washed and the entire pump should be appropriately disinfected per the manufacturer's instructions. This expressed breast milk should be fed to the newborn by a healthy caregiver.
- If a mother with known or suspected COVID-19 and her infant do room-in and the mother wishes to feed at the breast, she should put on a face mask and practice hand hygiene before each feeding.

DPOTMH-NSD-NICU-SOP001 Unauthorized duplication of this policy in whatever forms is strictly prohibited.

Rev. No. 00

Date Effective: 04-10-2020





Document Code:	DPOTMH-NSD-NICU-SOP001
Revision Number:	0
Effective Date:	04-10-2020
Document Type:	STANDARD OPERATING PROCEDURE
Page Number:	4
Department/Section:	NEONATAL INTENSIVE CARE & PEDIATRICS
Document Title:	GUIDELINES IN MANAGEMENT OF NEWBORNS IN MOTHERS WITH SUSPECTED, PROBABLE, AND CONFIRMED CORONAVIRUS (COVID-19) INFECTION.

APPROVAL:


	Name/Title	Signature	Date
Prepared by:			3/10/2-20
	NICU Head Nurse	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	CHRISTIAN EMMANUEL T. LIM II, MD	1	5/13/20
	Pedia Resident	 	
Reviewed:	SUZETTE J. PIDO, RN	Saus	5/13/2020
	Internal Quality Analyst-Patient Care	0	1 10/2010
	DENNIS C. ESCALONA, MN, FPSQua	9	व्यार/ २०२०
	Quality Assurance Supervisor		1919 000
Verified:	HANNAH KHAY S. TREYES, RN, MN	Sel	5/11/2020
	OIC Chief Nurse, Nursing Service	1 07	3/11/22
Recommending	SANDRA A. MONTELIBANO, MD	Must	3/10/2000
Approval:	House Consultant, Pediatrics Department	1/00	, ,
	CAROLINA ALEJANO, MD	Sporm	man 18 7000
	Chairman, Pediatric Department		
	HENRY F. ALAVAREN, MD, FPSMID, FPSQua	m.	(d) (d)
	Total Quality Division Officer	/ nuc	1/00/30
	MA. ANTONIA S. GENSOLI, MD, FPCHA	margure	יימר. גג ז
	Medical Director		
Approved:	GENESIS GOLDI D. GOLINGAN		11
	President and CEO	700	12/20/2020

DPOTMH-NSD-NICU-SOP001

Unauthorized duplication of this policy in whatever forms is strictly prohibited.

Rev. No. <u>00</u>

Date Effective: 04-10-2020





1	Document Code:	DPOTMH-NSD-NICU-SOP001
I	Revision Number:	0
I	Effective Date:	04-10-2020
I	Document Type:	STANDARD OPERATING PROCEDURE
I	Page Number:	5
I	Department/Section:	NEONATAL INTENSIVE CARE & PEDIATRICS
I	Document Title:	GUIDELINES IN MANAGEMENT OF NEWBORNS IN MOTHERS WITH SUSPECTED, PROBABLE, AND CONFIRMED CORONAVIRUS (COVID-19) INFECTION.

PROCEDURES:

- 1. Delivery Room nurse informs NICU of patient for Labor and Delivery Management
- 2. OB Resident on duty shall confirm if Mother is probable, Suspect or Covid 19 Positive patient.
- 3. Delivery Room Nurse Informs Pediatric Resident of Admission and prepares for incoming Newborn
- 4. If neonate is stable, Delivery Room Nurse performs routine new born care Cord dressing, Vit. K, Anthropometric measurement
- 5. If neonate is not stable, Pedia Resident informs NICU Staff to prepare for NICU/PICU admission, transports patient via sealed aerosol box to designated room (RM547 & 549)

Equipment Available:

Suction Machine
O2 Supply '
Laryngoscope with ET
OGT
Umbilical Cather

Mechanical Ventillator


Epinephrine

6. Delivery room nurse endorses newborn to receiving PICU/NICU Nurse.

DPOTMH-NSD-NICU-SOP001


Rev. No. <u>00</u>

Date Effective: 04-10-2020



		Document Code:	DPOTMH-NSD-NICU-SOP001
		Revision Number:	0
		Effective Date:	04-10-2020
12		Document Type:	STANDARD OPERATING PROCEDURE
DR PABLO O. TORRE MEMORIAL HOSPITAL		Page Number:	6
		Department/Section:	NEONATAL INTENSIVE CARE & PEDIATRICS
		Document Title:	GUIDELINES IN MANAGEMENT OF NEWBORNS IN MOTHERS WITH SUSPECTED, PROBABLE, AND CONFIRMED CORONAVIRUS (COVID-19) INFECTION.

FLOWCHART: ADMISSION OF NEWBORN OF A COVID 19 SUSPECT, PROBABLE **CASE OR COVID 19 POSITIVE MOTHER**




DPOTMH-NSD-NICU-SOP001

Rev. No. 00

Date Effective: 04-10-2020



Document Code:	DPOTMH-NSD-NICU-SOP001
Revision Number:	0
Effective Date:	04-10-2020
Document Type:	STANDARD OPERATING PROCEDURE
Page Number:	7
Department/Section:	NEONATAL INTENSIVE CARE & PEDIATRICS
Document Title:	GUIDELINES IN MANAGEMENT OF NEWBORNS IN MOTHERS WITH SUSPECTED, PROBABLE, AND CONFIRMED CORONAVIRUS (COVID-19) INFECTION.



DPOTMH-NSD-NICU-SOP001

Rev. No. 00

Date Effective: 04-10-2020

Unauthorized duplication of this policy in whatever forms is strictly prohibited.



Document Code:	DPOTMH-NSD-NICU-SOP001		
Revision Number:	0		
Effective Date:	04-10-2020		
Document Type:	STANDARD OPERATING PROCEDURE		
Page Number:	8		
Department/Section:	NEONATAL INTENSIVE CARE & PEDIATRICS		
Document Title:	GUIDELINES IN MANAGEMENT OF NEWBORNS IN MOTHERS WITH SUSPECTED, PROBABLE, AND CONFIRMED CORONAVIRUS (COVID-19) INFECTION.		

WORK INSTRUCTION:

ADMISSION OF NEWBORN OF A COVID 19 SUSPECT, PROBABLE CASE OR COVID 19 POSITIVE MOTHER

1. OB Residents

- Assesses the patient condition. Patient is Probable, Suspect or Confirm Covid 19 Cases.
- Informs Pediatric Residents of Covid 19 admission.

2. Pediatric Residents/ Consultants

- Prepares for the incoming newborn.
- Assesses condition of Neonates or Newborn.
- Performs neonates or newborn care.
- Stabilizes neonates or newborn.
- Discharges patient with designated caregiver.

3. Delivery Room Nurse

- Informs NICU/ IPCU/ Pediatric Nurse of admissions.
- Transports patient to designated room.
- Endorses patient to receiving designated areas.
- Performs Newborn Care.

4. NICU/ IPCU/ Pediatric Nurse

- Receives endorsement from Delivery Room.
- Performs Routine Newborn/ Neonatal Care.
- Performs Discharge Procedures with designated caregivers.

DPOTMH-NSD-NICU-SOP001

Rev. No. 00

Date Effective: 04-10-2020






•	Document Code:	DPOTMH-NSD-NICU-SOP001
	Revision Number:	0
	Effective Date:	04-10-2020
	Document Type:	STANDARD OPERATING PROCEDURE
	Page Number:	9
	Department/Section:	NEONATAL INTENSIVE CARE & PEDIATRICS
	Document Title:	GUIDELINES IN MANAGEMENT OF NEWBORNS IN MOTHERS WITH SUSPECTED, PROBABLE, AND CONFIRMED CORONAVIRUS (COVID-19) INFECTION.

PROCEDURE:

- 1. Pediatric nurse encourages mother to breastfeed confirmed Covid 19 positive neonate when needed.
- 2. Strict Isolation Precaution shall be observed among Confirmed or Probable Covid 19 neonate and mother.
- 3. When giving expressed milk, strict hand hygiene shall be observed.


DPOTMH-NSD-NICU-SOP001 Rev. No. 00

Date Effective: 04-10-2020



		Document Code:	DPOTMH-NSD-NICU-SOP001
		Revision Number:	0
		Effective Date:	04-10-2020
72		Document Type:	STANDARD OPERATING PROCEDURE
DR. PABLO O. TORRE MEMORIAL HOSPITAL		Page Number:	10
		Department/Section:	NEONATAL INTENSIVE CARE & PEDIATRICS
		Document Title:	GUIDELINES IN MANAGEMENT OF NEWBORNS IN MOTHERS WITH SUSPECTED, PROBABLE, AND CONFIRMED CORONAVIRUS (COVID-19) INFECTION.

FLOWCHART: MANAGEMENT OF BREASTFEEDING NEONATES BORN TO COVID 19 SUSPECTS, PROBABLE CASES, OR COVID 19 POSITIVE MOTHERS



DPOTMH-NSD-NICU-SOP001

Rev. No. 00

Date Effective: 04-10-2020





Document Code:	DPOTMH-NSD-NICU-SOP001		
Revision Number:			
Effective Date:	04-10-2020		
Document Type:	STANDARD OPERATING PROCEDURE		
Page Number:	11		
Department/Section:	NEONATAL INTENSIVE CARE & PEDIATRICS		
Document Title:	GUIDELINES IN MANAGEMENT OF NEWBORNS IN MOTHERS WITH SUSPECTED, PROBABLE, AND CONFIRMED CORONAVIRUS (COVID-19) INFECTION.		

WORK INSTRUCTION:

MANAGEMENT OF BREASTFEEDING NEONATES BORN TO COVID 19 SUSPECTS, PROBABLE CASES, OR COVID 19 POSITIVE MOTHERS

Pediatric Nurse:

- Encourages mother to breastfeed per demand (Rooming -in patient).
- Provides strict Isolation procedures for mother and baby.
- Encourages mother to expresses breast milk while observing strict precautions.
- Observes strict Hand hygiene when giving expressed milk

DOCUMENTATION

Manual of Policies and Standard Operating Procedures

DISSEMINATION

Unit Meetings Bulletin board

REFERENCES:

CDC Considerations for Inpatient Obstetric Healthcare Settings

CDC Interim Infection Prevention and Control Recommendations for Patients with Suspected or Confirmed Coronavirus Disease 2019 (COVID-19) in Healthcare Settings

DPOTMH-NSD-NICU-SOP001

Unauthorized duplication of this policy in whatever forms is strictly prohibited.

Rev. No. 00

Date Effective: 04-10-2020

